
INJECTION TOOLBARS





"ALL YOU HAVE TO DO IS ASK!"



POTTINGER

ADVANTAGES

- Incorporate high application rates
- Even distribution of nutrient across the soil surface
- Residue management
- · Leveling of the field
- Application widths up to 34'

FEATURES

- Pottinger, 23" disc components
- · Standard widths 20', 28', and 34'
- Heavy duty frame construction
- 4" manifold slurry hoses
- Large manure manifold design with hydraulic flush valve
- 34' R Braun Inc. five section frame design
- Available with Swing Pipe or Z Pipe design



CUSTOM WIDTHS AVAILABLE UPON REQUEST






RBI ZML

ADVANTAGES

The Red Viper Unit manure spreader was designed for both low and high volume gallon users. The Red Viper is capable of covering 20,000 plus GPA, while doing it with very little disturbance to the soil. Our individual closer disc helps with clogging in wet and heavy residue soil. Our goal is to inject and cover your manure for maximum nutrient intake.

FEATURES

- Rock guard sweep
- · Individual flexing closer disc
- Adjustable down pressure on closure wheels
- Individual row swivel
- 10" of hydro flex travel
- · Heavy duty greaseless bearing
- Spacing: 24" or 30"



AVAILABLE IN 20', 24', 28', 32' AND 36' WIDTHS





DIETRICH

FEATURES

- Custom built to your needs
- With or without swing pipe
- Minimum tillage, shank style manure injector
- · Low or high rate sweeps available
- Closer attachments available





FEATURES

- Available in custom widths
- · 3 point hook up with Z pipe
- · Wilrich 357 deep till shanks at 24" spacing
- 4,250 lb resets, 16" max working depth
- Parabolic shanks and JD ripper points
- · Hydro manifold with 4" hoses to splash pans

